

AMENDMENTS TO THE SPECIFICATION

Please replace the paragraph beginning line 21 on page 2 with the following amended paragraph:

--As shown in FIGS. 1-3, a spinning reel 10 of the first preferred embodiment of the present invention mainly comprises a reel body 20, a handle 40 rotatably mounted on the reel body 20, a rotor 42 provided on the reel body 20 to be driven by the handle ~~[[30]]~~ 40 for rotation, a spool 46 provided on the reel body 20 to be driven by the handle ~~[[30]]~~ 40 for reciprocation, and a cover 50.--

Please replace the paragraph beginning line 14 on page 3 with the following amended paragraph:

--The cover 50 ~~is covered on~~ covers the lowland portion 28 of the reel body 20, and the surface of the cover 50 is flush with the surface of the reel body. The cover 50 has two parallel arms 52 on each of which have an opening 54 adjacent to a distal end thereof. The arms 52 is arranged in between the engagement portion 24 and the rotor 42 and two bolts 56 are inserted into the openings 54 of the arms 52 and screwed into the thread holes 26 of the engagement portion 24.--

Please replace the paragraph beginning line 20 on page 3 with the following amended paragraph:

--After the cover 50 is mounted, it masks all of the exposed heads of the bolts 29 on the reel body 20 and the bolts 56 ~~fixed~~ fixing the cover 50 over lowland portion 28 are masked by the rotor 42 so that ~~the spinning reel 10 of the present invention is seen~~ no bolt on the surface thereof of the spinning reel 10 is visible. The cover 50 is provided with various holes 50 for decoration.--

Please replace the paragraph beginning line 24, bridging pages 3 and 4, with the following amended paragraph:

--As shown in FIG. 4 and FIG. 5, the second preferred embodiment of the present invention provides a spinning reel 60 having a reel body 62 on which has an engagement portion 64 and two holes 66 on the engagement portion 64. A cover 68 has two arms 70 on each of which has a hooking portion 72. The cover 68 is mounted on the reel body 62 with the hooking portions 72 hooking the holes 66 and the hooking portions 72 of the cover 68 are masked by the rotor (not shown) as in the first preferred embodiment--~~de~~--

Please replace the paragraph beginning line 6 on page 4 with the following amended paragraph:

--~~In fact, what way of the cover mounted on the reel~~  
~~body is not the main scope of the present invention.~~ The main  
~~scope~~ primary inventive feature of the present invention is to  
provide the cover having with a portion coupled with the  
engagement portion of the reel body and masked by the rotor.--